




ELSEVIER

Available online at www.sciencedirect.com



Discrete Applied Mathematics 130 (2003) 581–594

**DISCRETE
APPLIED
MATHEMATICS**

www.elsevier.com/locate/dam

Master index to volumes 121–130

- Aardal, K., R. Weismantel and L.A. Wolsey, Non-standard approaches to integer programming 123 (2003) 5–74
- Abualrub, T. and R. Oehmke, Cyclic codes of length 2^n over Z_4 128 (2003) 3–9
- Aguilera, N.E., M.S. Escalante and G.L. Nasini, The disjunctive procedure and blocker duality 121 (2003) 1–13
- Ahuja, R.K., Ö. Ergun, J.B. Orlin and A.P. Punnen, A survey of very large-scale neighborhood search techniques 123 (2003) 75–102
- Akutsu, T., K. Kanaya, A. Ohshima and A. Fujiyama, Point matching under non-uniform distortions 127 (2003) 5–21
- Albert, D., see S. Brandt 127 (2003) 221–239
- Albrecht, C., B. Korte, J. Schietke and J. Vygen, Maximum mean weight cycle in a digraph and minimizing cycle time of a logic chip 123 (2003) 103–127
- Aleskerov, F. and Y. Masatlioglu, Utility representation via additive or multiplicative error functions 127 (2003) 181–197
- Amano, K., Akira Maruoka and Jun Tarui, On the negation-limited circuit complexity of merging 126 (2003) 3–8
- Ando, K., K-submodular functions and convexity of their Lovász extension 122 (2003) 1–12
- Aneja, Y.P., R. Chandrasekaran and K.P.K. Nair, Parametric min-cuts analysis in a network 127 (2003) 679–689
- Anil Kumar, V.S., see V. Chandru 127 (2003) 145–161
- Anjos, M.F., see H. Wolkowicz 123 (2003) 513–577
- Anselmo, M., A non-ambiguous decomposition of regular languages and factorizing codes 126 (2003) 107–143
- Anshel, I., M. Anshel and D. Goldfeld, Non-abelian key agreement protocols 130 (2003) 3–12
- Anshel, M., see I. Anshel 130 (2003) 3–12
- Arita, S., An addition algorithm in Jacobian of C_{ab} curves 130 (2003) 13–31
- Arkin, E.M., R. Hassin and S. Shahar, Increasing digraph arc-connectivity by arc addition, reversal and complement 122 (2003) 13–22
- Asahiro, Y., R. Hassin and K. Iwama, Complexity of finding dense subgraphs 121 (2003) 15–26
- Asano, T., see S.C. Nandy 122 (2003) 183–194
- Averbakh, I., Complexity of robust single facility location problems on networks with uncertain edge lengths 127 (2003) 505–522
- Aviran, S., N. Lev-Tov, S. Onn and U.G. Rothblum, Vertex characterization of partition polytopes of bipartitions and of planar point sets 124 (2003) 1–15
- Ayala, R., E. Domínguez, A.R. Francés and A. Quintero, Homotopy in digital spaces 125 (2003) 3–24
- Baert, A.-E., V. Ravelomanana and L. Thimonier, On the growth of components with non-fixed excesses 130 (2003) 487–493
- Bailey, A., G. Gordon, M. Patton and J. Scancell, Expected value expansions in rooted graphs 128 (2003) 555–571
- Bajaj, C.L., V. Pascucci, A. Shamir, R.J. Holt and A.N. Netravali, Dynamic maintenance and visualization of molecular surfaces 127 (2003) 23–51

- Balas, E. and M. Perregaard, Lift-and-project for Mixed 0–1 programming: recent progress 123 (2003) 129–153
- Balbuena, C., see J. Gómez 130 (2003) 395–416
- Bandelt, H.-J., K.T. Huber and V. Moulton, Quasi-median graphs from sets of partitions 122 (2003) 23–35
- Bang Le, V., Bipartite-perfect graphs 127 (2003) 581–599
- Bard, J.F., see X. Qi 122 (2003) 211–233
- Barequet, G., M.T. Dickerson and R.L.S. Drysdale, 2-Point site Voronoi diagrams 122 (2003) 37–54
- Bar-Noy, A., J.A. Garay and A. Herzberg, Sharing video on demand 129 (2003) 3–30
- Barrière, L., Symmetry properties of chordal rings of degree 3 129 (2003) 211–232
- Benczúr, A.A., Pushdown–reduce: an algorithm for connectivity augmentation and poset covering problems 129 (2003) 233–262
- Berger, T. and V.I. Levenshtein, Application of cover-free codes and combinatorial designs to two-stage testing 128 (2003) 11–26
- Berman, P., see V. Veeramachaneni 127 (2003) 119–143
- Bermond, J.-C., J. Bond, D. Peleg and S. Perennes, The power of small coalitions in graphs 127 (2003) 399–414
- Bermond, J.-C., M.D. Ianni, M. Flammini and S. Pérennès, Deadlock prevention by acyclic orientations 129 (2003) 31–47
- Bertrand, P. and M.F. Janowitz, Pyramids and weak hierarchies in the ordinal model for clustering 122 (2003) 55–81
- Bertrand, P. and M.F. Janowitz, The k -weak hierarchical representations: an extension of the indexed closed weak hierarchies 127 (2003) 199–220
- Biere, A., see D.A. Plaisted 130 (2003) 291–328
- Blackford, T., Cyclic codes over Z_4 of oddly even length 128 (2003) 27–46
- Blum, C. and M. Ehrgott, Local search algorithms for the k -cardinality tree problem 128 (2003) 511–540
- Blundo, C., P. D'Arco and C. Padró, A ramp model for distributed key distribution schemes 128 (2003) 47–64
- Bomze, I.M., M. Budinich, M. Pelillo and C. Rossi, Annealed replication: a new heuristic for the maximum clique problem 121 (2003) 27–49
- Bond, J., see J.-C. Bermond 127 (2003) 399–414
- Bonuccelli, M. and A. Marchetti-Spaccamela, Foreword 129 (2003) 1
- Borgefors, G., I. Nyström and G. Sanniti di Baja, Editorial 125 (2003) 1–2
- Borgefors, G., Weighted digital distance transforms in four dimensions 125 (2003) 161–176
- Borisov, Y., N. Manev and S. Nikova, On the non-minimal codewords in binary Reed–Muller codes 128 (2003) 65–74
- Boros, E. and P.L. Hammer, Preface 123 (2003) 1–4
- Boros, E. and P.L. Hammer, Pseudo-Boolean optimization 123 (2003) 155–225
- Boros, E., M.C. Golumbic and V.E. Levit, On the number of vertices belonging to all maximum stable sets of a graph 124 (2003) 17–25
- Bosiková, M., Minimum 3-geodetically connected graphs 129 (2003) 263–283
- Bouras, C., V. Kapoulas, G. Pantziou and P. Spirakis, Competitive video on demand schedulers for popular movies 129 (2003) 49–61
- Brandstädt, A. and F.F. Dragan, On linear and circular structure of (claw, net)-free graphs 129 (2003) 285–303
- Brandstädt, A. and R. Mosca, On variations of P_4 -sparse graphs 129 (2003) 521–532
- Brandt, S., D. Albert and C. Hockemeyer, Surmise relations between tests—mathematical considerations 127 (2003) 221–239
- Brinkmann, G., T. Harmuth and O. Heidemeier, The construction of cubic and quartic planar maps with prescribed face degrees 128 (2003) 541–554
- Brucker, P., Scheduling and constraint propagation 123 (2003) 227–256
- Bruni, R. and A. Sassano, A complete adaptive algorithm for propositional satisfiability 127 (2003) 523–534

- Bruni, R., Approximating minimal unsatisfiable subformulae by means of adaptive core search 130 (2003) 85-100
- Budinich, M., Exact bounds on the order of the maximum clique of a graph 127 (2003) 535-543
- Budinich, M., see I.M. Bomze 121 (2003) 27-49
- Burger, A.P. and C.M. Mynhardt, An upper bound for the minimum number of queens covering the $n \times n$ chessboard 121 (2003) 1-60
- Burguet, J. and R. Malgouyres, Strong thinning and polyhedral approximation of the surface of a voxel object 125 (2003) 93-114
- Burkard, R.E. and P. Butkovi, Finding all essential terms of a characteristic maxpolynomial Dedicated to Professor Raymond A. Cuninghame-Green on the occasion of his 70th birthday 130 (2003) 367-380
- Burkard, R.E., Selected topics on assignment problems 123 (2003) 257-302
- Butkovi, P., see R.E. Burkard 130 (2003) 367-380
- Cai, J.-Y., A new transference theorem in the geometry of numbers and new bounds for Ajtai's connection factor 126 (2003) 9-31
- Cai, L., Parameterized complexity of vertex colouring 127 (2003) 415-429
- Cai, M., see Q. Fang 127 (2003) 555-563
- Cánovas, L., M. Landete and A. Marín, On the facets of the simple plant location packing polytope 124 (2003) 27-53
- Carlet, C., Preface 128 (2003) 1
- Caspard, N. and B. Monjardet, The lattices of closure systems, closure operators, and implicational systems on a finite set: a survey 127 (2003) 241-269
- Chandrasekaran, R., see Y.P. Aneja 127 (2003) 679-689
- Chandru, V., A. DattaSharma and V.S. Anil Kumar, The algorithmics of folding proteins on lattices 127 (2003) 145-161
- Chang, G.J., see M. Chen 122 (2003) 83-92
- Chen, C., see R.C. Chi-Feng 121 (2003) 61-72
- Chen, J., see E. Oh 129 (2003) 499-511
- Chen, M. and G.J. Chang, Total interval numbers of complete r -partite graphs 122 (2003) 83-92
- Chen, P., see G. Ding 129 (2003) 329-343
- Chen, Y. and F. Tian, A new proof of Wojcicka's conjecture 127 (2003) 545-554
- Chen, Z., see F. Zhang 121 (2003) 295-306
- Cheng, E., J.W. Grossman and M.J. Lipman, Time-stamped graphs and their associated influence digraphs 128 (2003) 317-335
- Chenin, P., see M. Khachan 125 (2003) 45-57
- Chi-Feng, R.C., C. Chen and H. Zhi-Xin, A simple algorithm to find the steps of double-loop networks 121 (2003) 61-72
- Cho, S.-H., see G.-Y. Lee 130 (2003) 527-534
- Choie, Y.-J. and G. Frey, Preface 130 (2003) 1
- Cimikowski, R., Algorithms for the fixed linear crossing number problem 122 (2003) 93-115
- Cohnen, G., S. Encheva, S. Litsyn and H.G. Schaathun, Intersecting codes and separating codes 128 (2003) 75-83
- Colbourn, C.J., Projective planes and congestion-free networks 122 (2003) 117-126
- Constantine, G.M., Graphs, networks, and linear unbiased estimates 130 (2003) 381-393
- Cornuéjols, G. and B. Guenin, Ideal clutter 123 (2003) 303-338
- Crama, Y., J. van de Klundert and F.C.R. Spijksma, Production planning problems in printed circuit board assembly 123 (2003) 339-361
- Croce, F.D., see R. Tadei 124 (2003) 117-126
- Damaschke, P., Point placement on the line by distance data 127 (2003) 53-62
- Danev, D., Some constructions of superimposed codes in Euclidean spaces 128 (2003) 85-101
- Dankelmann, P. and O.R. Oellermann, Bounds on the average connectivity of a graph 129 (2003) 305-318
- DattaSharma, A., see V. Chandru 127 (2003) 145-161
- D'Arco, P., see C. Blundo 128 (2003) 47-64

- de Abreu, N.M.M., P.O.B. Netto, T.M. Querido and E.F. Gouvea, Classes of quadratic assignment problem instances: isomorphism and difficulty measure using a statistical approach 124 (2003) 103–116
- de Figueiredo, C.M.H., S. Klein and K. Vušković, The graph sandwich problem for 1-join composition is NP-complete 121 (2003) 73–82
- Debled-Rennesson, I., J.-L. Rémy and J. Rouyer-Degli, Detection of the discrete convexity of polyominoes 125 (2003) 115–133
125 (2003) 45–57
- Deddi, H., see M. Khachan
- Deineko, V.G., B. Klinz and G.J. Woeginger, Which matrices are immune against the transportation paradox? Dedicated to Prof. Rainer E. Burkard on the occasion of his 60th birthday 130 (2003) 495–501
- Dejter, I.J. and O. Serra, Efficient dominating sets in Cayley graphs 129 (2003) 319–328
- Dell'Amico, M., F. Maffioli and F. Malucelli, The base-matroid and inverse combinatorial optimization problems 128 (2003) 337–353
- Delorme, C., O. Favaron and D. Rautenbach, Closed formulas for the numbers of small independent sets and matchings and an extremal problem for trees 130 (2003) 503–512
- Deng, X., see Q. Fang 127 (2003) 555–563
- Denis, F. and O. Gascuel, On the consistency of the minimum evolution principle of phylogenetic inference 127 (2003) 63–77
- Dentcheva, D., A. Prékopa and A. Ruszczyński, Bounds for probabilistic integer programming problems 124 (2003) 55–65
- Dickerson, M.T., see G. Barequet 122 (2003) 37–54
- Diday, E. and R. Emilion, Maximal and stochastic Galois lattices 127 (2003) 271–284
- Ding, C. and C. Xing, Several classes of $(2^m - 1, w, 2)$ optical orthogonal codes 128 (2003) 103–120
- Ding, G. and P. Chen, Generating r -regular graphs 129 (2003) 329–343
- Domínguez, E., see R. Ayala 125 (2003) 3–24
- Dong, J., Y. Liu and C.-Q. Zhang, Determination of the star valency of a graph 126 (2003) 269–274
- Dougherty, S.T., T.A. Gulliver and M. Oura, Higher weights and graded rings for binary self-dual codes 128 (2003) 121–143
- Dragan, F.F., see A. Brandstädt 129 (2003) 285–303
- Drysdale, R.L.S., see G. Barequet 122 (2003) 37–54
- Dye, S., L. Stougie and A. Tomasgard, Approximation algorithms and relaxations for a service provision problem on a telecommunication network 129 (2003) 63–81
- Ehr Gott, M., see C. Blum 128 (2003) 511–540
- Emilion, R., see E. Diday 127 (2003) 271–284
- Encheva, S., see G. Cohnen 128 (2003) 75–83
- Ergun, Ö., see R.K. Ahuja 123 (2003) 75–102
- Escalante, M.S., see N.E. Aguilera 121 (2003) 1–13
- Eschen, E.M., J. L. Johnson, J. P. Spinrad and R. Sriharan, Recognition of some perfectly orderable graph classes 128 (2003) 355–373
- Fagnot, I. and L. Vuillon, Generalized balances in Sturmian words 121 (2003) 83–101
- Falmagne, J.-C. and S. Ovchinnikov, Media theory 121 (2003) 103–118
- Fang, Q., M. Cai and X. Deng, Total balancedness condition for Steiner tree games 127 (2003) 555–563
- Faragó, A., Áron Szentesi and B. Szvátovszki, Inverse optimization in high-speed networks 129 (2003) 83–98
- Farley, A.M., see S. Fujita 127 (2003) 431–446
- Farrán, J.I. and C. Munuera, Goppa-like bounds for the generalized Feng–Rao distances 128 (2003) 145–156
- Favaron, O., see C. Delorme 130 (2003) 503–512
- Feige, U., R. Krauthgamer and K. Nissim, On cutting a few vertices from a graph 127 (2003) 643–649
- Fiorini, C., E. Martinelli and F. Massacci, How to fake an RSA signature by encoding modular root finding as a SAT problem 130 (2003) 101–127

- Fischermann, M., A. Hoffmann, D. Rautenbach and L. Volkmann, A linear-programming approach to the generalized Randić index 128 (2003) 375–385
- Fischermann, M., A. Hoffmann, D. Rautenbach, L. Székely and L. Volkmann, Wiener index versus maximum degree in trees 122 (2003) 127–137
- Fishburn, P.C. and F.S. Roberts, No-hole $L(2,1)$ -colorings 130 (2003) 513–519
- Fisher, D.C., Fractional dominations and fractional total dominations of graph complements 122 (2003) 283–291
- Flammini, M., see J.-C. Bermond 129 (2003) 31–47
- Fomin, F.V. and P.A. Golovach, Interval degree and bandwidth of a graph 129 (2003) 345–359
- Fomin, F.V., D. Kratsch and H. Müller, On the domination search number 127 (2003) 565–580
- Fourey, S. and R. Malgouyres, A concise characterization of 3D simple points 125 (2003) 59–80
- Francés, A.R., see R. Ayala 125 (2003) 3–24
- Franco, J. and A. Van Gelder, A perspective on certain polynomial-time solvable classes of satisfiability 125 (2003) 177–214
- Franco, J. and R. Swaminathan, On good algorithms for determining unsatisfiability of propositional formulas 130 (2003) 129–138
- Frey, G., see Y.-J. Choie 130 (2003) 1
- Fu, F.-W., T. Kløve, Y. Luo and V.K. Wei, On equidistant constant weight codes 128 (2003) 157–164
- Fujita, S. and A.M. Farley, Sparse Hypercube—a minimal k -line broadcast graph 127 (2003) 431–446
- Fujiyama, A., see T. Akutsu 127 (2003) 5–21
- Gabidulin, E.M., see A.V. Ourivski 128 (2003) 207–221
- Galbraith, S.D., Weil descent of Jacobians 128 (2003) 165–180
- Garay, J.A., see A. Bar-Noy 129 (2003) 3–30
- Gascuel, O., see F. Denis 127 (2003) 63–77
- Gavalec, M. and J. Plávka, An $O(n^2)$ algorithm for maximum cycle mean of Monge matrices in max-algebra 127 (2003) 651–656
- Gérard, S., see C.-M. Li 130 (2003) 277–290
- Gerber, M.U. and V.V. Lozin, On the stable set problem in special P_5 -free graphs 125 (2003) 215–224
- Giaro, K., R. Janczewski and M. Małafiejski, A polynomial algorithm for finding T -span of generalized cacti 129 (2003) 371–382
- Giaro, K., R. Janczewski and M. Małafiejski, The complexity of the T -coloring problem for graphs with small degree 129 (2003) 361–369
- Goldfeld, D., see I. Anshel 130 (2003) 3–12
- Goldschmidt, O., A. Laugier and E.V. Olinick, SONET/SDH ring assignment with capacity constraints 129 (2003) 99–128
- Golovach, P.A., see F.V. Fomin 129 (2003) 345–359
- Golumbic, M.C. and U.N. Peled, Block duplicate graphs and a hierarchy of chordal graphs 124 (2003) 67–71
- Golumbic, M.C., see E. Boros 124 (2003) 17–25
- Gómez, J., I. Pelayo and C. Balbuena, Diameter vulnerability of GC graphs 130 (2003) 395–416
- Gordon, G., see A. Bailey 128 (2003) 555–571
- Gouvea, E.F., see N.M.M. de Abreu 124 (2003) 103–116
- Gracia, I., see C. Padró 128 (2003) 223–238
- Gramm, J., E.A. Hirsch, R. Niedermeier and P. Rossmanith, Worst-case upper bounds for MAX-2-SAT with an application to MAX-CUT 130 (2003) 139–155
- Gravier, S., Total domination number of grid graphs 121 (2003) 119–128
- Groote, J.F. and H. Zantema, Resolution and binary decision diagrams cannot simulate each other polynomially 130 (2003) 157–171
- Grossman, J.W., see E. Cheng 128 (2003) 317–335
- Grosso, A., see R. Tadei 124 (2003) 117–126
- Guenin, B., see G. Cornuéjols 123 (2003) 303–338

- Guíqing, L., S. Wenlong and Luo Haipeng, Edge colorings of the complete graph K_{149} and the lower bounds of three Ramsey numbers 126 (2003) 145-157
- Gulliver, T.A., see S.T. Dougherty 128 (2003) 121-143
- Guo, X. and F. Zhang, Planar k -cycle resonant graphs with $k = 1, 2$ 129 (2003) 383-397
- Gurvich, V.A. and L. Sheng, Camel sequences and quadratic residues 124 (2003) 73- 89
- Gutierrez, M. and J. Meidanis, Recognizing clique graphs of directed edge path graphs 126 (2003) 275-282
- Gutin, G. and A. Yeo, Orientations of digraphs almost preserving diameter 121 (2003) 129-138
- Gutin, G. and A. Yeo, Upper bounds on ATSP neighborhood size 129 (2003) 533-538
- Gutin, G., A. Vainshtein and A. Yeo, Domination analysis of combinatorial optimization problems 129 (2003) 513-520
- Haanpää, H. and P.R.J. Östergård, Classification of whist tournaments with up to 12 players 129 (2003) 399-407
- Hahn, S.G., E. Lee and J.H. Park, Complexity of the generalized conjugacy problem 130 (2003) 33- 36
- Haipeng, Luo, see L. Guíqing 126 (2003) 145-157
- Halava, V., T. Harju and J. Karhumäki, Decidability of the binary infinite Post Correspondence Problem 130 (2003) 521-526
- Hammer, P.L., see E. Boros 123 (2003) 1- 4
- Hammer, P.L., see E. Boros 123 (2003) 155-225
- Harayama, T., see S.C. Nandy 122 (2003) 183-194
- Harju, T., see V. Halava 130 (2003) 521-526
- Harms, J. and C. Hu, Physical network design to facilitate capacity reallocation 129 (2003) 129-153
- Harmuth, T., see G. Brinkmann 128 (2003) 541-554
- Hartvigsen, D., Characterizing the flow equivalent trees of a network 128 (2003) 387-394
- Hassin, R. and A. Levin, Subgraphs decomposable into two trees and k -edge-connected subgraphs 126 (2003) 159-173
- Hassin, R., see E.M. Arkin 122 (2003) 13- 22
- Hassin, R., see Y. Asahiro 121 (2003) 15- 26
- Hayward, R.B., P.E. Kearney and A. Malton, NeST graphs 121 (2003) 139-153
- Heidemeyer, O., see G. Brinkmann 128 (2003) 541-554
- Hempel, H. and D. Kratsch, On claw-free asteroidal triple-free graphs 121 (2003) 155-180
- Hertz, A., see T. Kis 128 (2003) 395-419
- Herzberg, A., see A. Bar-Noy 129 (2003) 3- 30
- Heun, V., Approximate protein folding in the HP side chain model on extended cubic lattices 127 (2003) 163-177
- Hirsch, E.A., Worst-case study of local search for MAX- k -SAT 130 (2003) 173-184
- Hirsch, E.A., see J. Gramm 130 (2003) 139-155
- Hockemeyer, C., see S. Brandt 127 (2003) 221-239
- Hoffmann, A., see M. Fischermann 122 (2003) 127-137
- Hoffmann, A., see M. Fischermann 128 (2003) 375-385
- Hoffstein, J. and J.H. Silverman, Random small Hamming weight products with applications to cryptography 130 (2003) 37- 49
- Holt, R.J., see C.L. Bajaj 127 (2003) 23- 51
- Honkala, I., M.G. Karpovsky and S. Litsyn, Cycles identifying vertices and edges in binary hypercubes and 2-dimensional tori 129 (2003) 409-419
- Hu, C., see J. Harms 129 (2003) 129-153
- Huang, H.-M., F.K. Hwang and J.-F. Ma, Using transforming matrices to generate DNA clone grids 129 (2003) 421-431
- Huang, J., G. MacGillivray and A. Yeo, Pushing vertices in digraphs without long induced cycles 121 (2003) 181-192
- Huber, K.T., see H.-J. Bandelt 122 (2003) 23- 35
- Hutchinson, D., A. Maheshwari and N. Zeh, An external memory data structure for shortest path queries 126 (2003) 33- 60
- Hwang, F.K., see H.-M. Huang 129 (2003) 421-431

- Ianni, M.D., see J.-C. Bermond 129 (2003) 31–47
 Ibaraki, T., see H. Nagamochi 123 (2003) 447–472
 Ibaraki, T., see K. Makino 130 (2003) 417–436
 Ibaraki, T., see L. Zhao 126 (2003) 253–267
 Imai, H., see T. Tokuyama 126 (2003) 1
 Ishii, T., see H. Nagamochi 129 (2003) 475–486
 Istrail, S., P. Pevzner and R. Shamir, Preface 127 (2003) 1–3
 Iwama, K., see Y. Asahiro 121 (2003) 15–26
- Janczewski, R., see K. Giaro 129 (2003) 361–369
 Janczewski, R., see K. Giaro 129 (2003) 371–382
 Janowitz, M.F., Preface 127 (2003) 179–180
 Janowitz, M.F., see P. Bertrand 122 (2003) 55–81
 Janowitz, M.F., see P. Bertrand 127 (2003) 199–220
 Jelen, F. and E. Triesch, Superdominance order and distance of trees with bounded maximum degree 125 (2003) 225–233
 Jianxing, Y., A survey on maximum distance holey packings 121 (2003) 279–294
 Johnson, J.L., see E.M. Eschen 128 (2003) 355–373
- Kanaya, K., see T. Akutsu 127 (2003) 5–21
 Kapoulas, V., see C. Bouras 129 (2003) 49–61
- Karhumäki, J., W. Plandowski and W. Rytter, The complexity of compressing subsegments of images described by finite automata 125 (2003) 235–254
 Karhumäki, J., see V. Halava 130 (2003) 521–526
 Karpovsky, M.G., see I. Honkala 129 (2003) 409–419
 Karuno, Y. and H. Nagamochi, 2-Approximation algorithms for the multi-vehicle scheduling problem on a path with release and handling times 129 (2003) 433–447
 Kearney, P.E., see R.B. Hayward 121 (2003) 139–153
- Khachan, M., P. Chenin and H. Deddi, Digital pseudomanifolds, digital weakmanifolds and Jordan–Brouwer separation theorem 125 (2003) 45–57
 Kim, J.-S., see G.-Y. Lee 130 (2003) 527–534
 Kis, T. and A. Hertz, A lower bound for the job insertion problem 128 (2003) 395–419
 Kishimoto, W., K. Okada, K. Kurosawa and W. Ogata, On the bound for anonymous secret sharing schemes 121 (2003) 193–201
- Klavar, S. and A. Vesel, Computing graph invariants on rotographs using dynamic algorithm approach: the case of $(2,1)$ -colorings and independence numbers 129 (2003) 449–460
 Klein, S., see C.M.H. de Figueiredo 121 (2003) 73–82
- Kleine Büning, H. and X. Zhao, On the structure of some classes of minimal unsatisfiable formulas 130 (2003) 185–207
 Klinz, B., see V.G. Deineko 130 (2003) 495–501
 Klöve, T., see F.-W. Fu 128 (2003) 157–164
 Knor, M. and L. Niepel, Connectivity of iterated line graphs 125 (2003) 255–266
- Knudsen, L.R. and C.J. Mitchell, Analysis of 3gpp-MAC and two-key 3gpp-MAC 128 (2003) 181–191
- Kobler, D. and U. Rotics, Edge dominating set and colorings on graphs with fixed clique-width 126 (2003) 175–199
- Kolliopoulos, S.G., Approximating covering integer programs with multiplicity constraints 129 (2003) 461–473
 Korte, B., see C. Albrecht 123 (2003) 103–127
 Kovalevsky, V., Multidimensional cell lists for investigating 3-manifolds 125 (2003) 25–43
- Krarp, J., D. Pisinger and F. Plastria, Discrete location problems with push–pull objectives 123 (2003) 363–378
 Kratsch, D., see F.V. Fomin 127 (2003) 565–580
 Kratsch, D., see H. Hempel 121 (2003) 155–180
 Krauthgamer, R., see U. Feige 127 (2003) 643–649

- Krysta, P., Approximating minimum size $\{1,2\}$ -connected networks 125 (2003) 267-288
- Kullmann, O., Lean clause-sets: generalizations of minimally unsatisfiable clause-sets 130 (2003) 209-249
- Kurosawa, K., see W. Kishimoto 121 (2003) 193-201
- Laguna, M., see R. Martí 127 (2003) 665-678
- Laihonen, T. and S. Ranto, Families of optimal codes for strong identification 121 (2003) 203-213
- Lam, P.C.B., see H. Zhang 130 (2003) 469-485
- Lam, P.C.B., see W.C. Shiu 122 (2003) 251-261
- Landete, M., see L. Cánovas 124 (2003) 27- 53
- Lange, T. and A. Winterhof, Interpolation of the discrete logarithm in \mathbf{F}_q by Boolean functions and by polynomials in several variables modulo a divisor of $q-1$ 128 (2003) 193-206
- Laugier, A., see O. Goldschmidt 129 (2003) 99-128
- Leclerc, B., The median procedure in the semilattice of orders 127 (2003) 285-302
- Lee, E., see S.G. Hahn 130 (2003) 33- 36
- Lee, G.-Y., J.-S. Kim and S.-H. Cho, Some combinatorial identities via Fibonacci numbers 130 (2003) 527-534
- Leischner, L., Additive similarity measures 127 (2003) 303-318
- Levenshtein, V.I., see T. Berger 128 (2003) 11- 26
- Levin, A., see R. Hassin 126 (2003) 159-173
- Levit, V.E. and E. Mandrescu, A new Greedoid: the family of local maximum stable sets of a forest 124 (2003) 91-101
- Levit, V.E., see E. Boros 124 (2003) 17- 25
- Lev-Tov, N., see S. Aviran 124 (2003) 1- 15
- Li, C.-M. and S. Gérard, On the limit of branching rules for hard random unsatisfiable 3-SAT 130 (2003) 277-290
- Li, C.-M., Equivalent literal propagation in the DLL procedure 130 (2003) 251-276
- Li Marzi, E.M., Perfect 7-cycle systems 130 (2003) 535-538
- Lincke, C. and C.A. Wüthrich, Surface digitizations by dilations which are tunnel-free 125 (2003) 81- 91
- Lipman, M.J., see E. Cheng 128 (2003) 317-335
- Litsyn, S., see G. Cohnen 128 (2003) 75- 83
- Litsyn, S., see I. Honkala 129 (2003) 409-419
- Liu, G. and B. Zhu, Some problems on factorizations with constraints in bipartite graphs 128 (2003) 421-434
- Liu, Y., see J. Dong 126 (2003) 269-274
- Locatelli, M. and U. Raber, Packing equal circles in a square: a deterministic global optimization approach 122 (2003) 139-166
- Lodi, A., S. Martello and D. Vigo, Recent advances on two-dimensional bin packing problems 123 (2003) 379-396
- Lozin, V.V., see M.U. Gerber 125 (2003) 215-224
- Luczak, M.J. and S.D. Noble, Optimal arrangement of data in a tree directory [Discrete Appl. Math 113 (2001) 243-253] 121 (2003) 307-315
- Luo, Y., see F.-W. Fu 128 (2003) 157-164
- Ma, J.-F., see H.-M. Huang 129 (2003) 421-431
- MacGillivray, G., see J. Huang 121 (2003) 181-192
- Maffioli, F., see M. Dell'Amico 128 (2003) 337-353
- Maheshwari, A., see D. Hutchinson 126 (2003) 33- 60
- Makino, K., Efficient dualization of $O(\log n)$ -term monotone disjunctive normal forms 126 (2003) 283-290
- Makino, K., H. Ono and T. Ibaraki, Interior and exterior functions of positive Boolean functions 130 (2003) 417-436
- Małafiejski, M., see K. Giaro 129 (2003) 361-369
- Małafiejski, M., see K. Giaro 129 (2003) 371-382
- Malgouyres, R., see J. Burguet 125 (2003) 93-114

- Malgouyres, R., see S. Fourey
 Malton, A., see R.B. Hayward
 Malucelli, F., see M. Dell'Amico
 Mandrescu, E., see V.E. Levit
 Manev, N., see Y. Borissov
 Manlove, D.F., The structure of stable marriage with indifference
 Mannino, C. and A. Sassano, An enumerative algorithm for the frequency assignment problem
 Mao, W. and D.M. Nicol, On k -ary n -cubes: theory and applications
 Marchand, H., A. Martin, R. Weismantel and L. Wolsey, Cutting planes in integer and mixed integer programming
 Marchetti-Spaccamela, A., see M. Bonuccelli
 Marin, A., see L. Cánovas
 Martello, S., see A. Lodi
 Martí, R. and M. Laguna, Heuristics and meta-heuristics for 2-layer straight line crossing minimization
 Martin, A., see H. Marchand
 Martin, S., see C. Padró
 Martinelli, E., see C. Fiorini
 Maruoka, Akira, see K. Amano
 Masatlioglu, Y., see F. Aleskerov
 Massacci, F., see C. Fiorini
 Massini, A., All-to-all personalized communication on multistage interconnection networks
 McMorris, F.R., H.M. Mulder and R.C. Powers, The median function on distributive semilattices
 Meidanis, J., see M. Gutierrez
 Meng, Jixiang, Connectivity of vertex and edge transitive graphs
 Mesa, J.A., J. Puerto and A. Tamir, Improved algorithms for several network location problems with equality measures
 Michael, T.S. and T. Quint, Sphere of influence graphs and the L_∞ -metric
 Miklós, I., Algorithm for statistical alignment of two sequences derived from a Poisson sequence length distribution
 Miller, W., see V. Veeramachaneni
 Misheva, N., see H. Narushima
 Mitchell, C.J., see L.R. Knudsen
 Monjardet, B., see N. Caspard
 Morillo, P., see C. Padró
 Mosca, R., see A. Brandstädt
 Moukrim, A., Scheduling unitary task systems with zero-one communication delays for quasi-interval orders
 Moulton, V., see H.-J. Bandelt
 Mulder, H.M., see F.R. McMorris
 Müller, H., see F.V. Fomin
 Munuera, C., see J.I. Farrán
 Murty, K.G., see T. Yi
 Mynhardt, C.M., see A.P. Burger
 Nagamochi, H., An approximation for finding a smallest 2-edge-connected subgraph containing a specified spanning tree
 Nagamochi, H. and T. Ibaraki, Graph connectivity and its augmentation: applications of MA orderings
 Nagamochi, H. and T. Ishii, On the minimum local-vertex-connectivity augmentation in graphs
 Nagamochi, H., see L. Zhao
 Nagamochi, H., see Y. Karuno
- 125 (2003) 59–80
 121 (2003) 139–153
 128 (2003) 337–353
 124 (2003) 91–101
 128 (2003) 65–74
 122 (2003) 167–181
 129 (2003) 155–169
 129 (2003) 171–193
 123 (2003) 397–446
 129 (2003) 1
 124 (2003) 27–53
 123 (2003) 379–396
 127 (2003) 665–678
 123 (2003) 397–446
 128 (2003) 223–238
 130 (2003) 101–127
 126 (2003) 3–8
 127 (2003) 181–197
 130 (2003) 101–127
 128 (2003) 435–446
 127 (2003) 319–324
 126 (2003) 275–282
 127 (2003) 601–613
 130 (2003) 437–448
 127 (2003) 447–460
 127 (2003) 79–84
 127 (2003) 119–143
 122 (2003) 195–209
 128 (2003) 181–191
 127 (2003) 241–269
 128 (2003) 223–238
 129 (2003) 521–532
 127 (2003) 461–476
 122 (2003) 23–35
 127 (2003) 319–324
 127 (2003) 565–580
 128 (2003) 145–156
 121 (2003) 261–277
 121 (2003) 51–60
 126 (2003) 61–91
 123 (2003) 447–472
 129 (2003) 475–486
 126 (2003) 253–267
 129 (2003) 433–447

- Nair, K.P.K., see Y.P. Aneja 127 (2003) 679–689
- Nakamura, M., Excluded-minor characterizations of antimatroids arisen from posets and graph searches 129 (2003) 487–498
- Nandy, S.C., T. Asano and T. Harayama, Shattering a set of objects in 2D 122 (2003) 183–194
- Narushima, H. and N. Misheva, On characteristics of ancestral character-state reconstructions under the accelerated transformation optimization 122 (2003) 195–209
- Nasini, G.L., see N.E. Aguilera 121 (2003) 1–13
- Netravali, A.N., see C.L. Bajaj 127 (2003) 23–51
- Netto, P.O.B., see N.M.M. de Abreu 124 (2003) 103–116
- Nicol, D.M., see W. Mao 129 (2003) 171–193
- Niedermeier, R., see J. Gramm 130 (2003) 139–155
- Niepel, L., see M. Knor 125 (2003) 255–266
- Nikova, S., see Y. Borisov 128 (2003) 65–74
- Nissim, K., see U. Feige 127 (2003) 643–649
- Noble, S.D., see M.J. Luczak 121 (2003) 307–315
- Nyström, I., see G. Borgfors 125 (2003) 1–2
- Oehmke, R., see T. Abualrub 128 (2003) 3–9
- Oellermann, O.R., see P. Dankelmann 129 (2003) 305–318
- Offer, E., see E. Soljanin 128 (2003) 293–303
- Ogata, W., see W. Kishimoto 121 (2003) 193–201
- Oh, E. and J. Chen, On strong Menger-connectivity of star graphs 129 (2003) 499–511
- Ohya, A., see T. Akutsu 127 (2003) 5–21
- Okada, K., see W. Kishimoto 121 (2003) 193–201
- Olariu, S., M.C. Pinotti and L. Wilson, Greedy algorithms for tracking mobile users in special mobility graphs 121 (2003) 215–227
- Olinick, E.V., see O. Goldschmidt 129 (2003) 99–128
- Onn, S., see S. Aviran 124 (2003) 1–15
- Ono, H., see K. Makino 130 (2003) 417–436
- O'Reilly, U.-M. and N. Santoro, Tight bounds for synchronous communication of information using bits and silence 129 (2003) 195–209
- Orlin, J.B., see R.K. Ahuja 123 (2003) 75–102
- Östergård, P.R.J., see H. Haanpää 129 (2003) 399–407
- Oura, M., see S.T. Dougherty 128 (2003) 121–143
- Ouvrski, A.V. and E.M. Gabidulin, Column scrambler for the GPT cryptosystem 128 (2003) 207–221
- Ovchinnikov, S., see J.-C. Falmagne 121 (2003) 103–118
- Padró, C., I. Gracia, S. Martín and P. Morillo, Linear broadcast encryption schemes 128 (2003) 223–238
- Padró, C., see C. Blundo 128 (2003) 47–64
- Pantziou, G., see C. Bouras 129 (2003) 49–61
- Park, J.H., see S.G. Hahn 130 (2003) 33–36
- Pascucci, V., see C.L. Bajaj 127 (2003) 23–51
- Patton, M., see A. Bailey 128 (2003) 555–571
- Pavlović, L., Maximal value of the zeroth-order Randić index 127 (2003) 615–626
- Pelayo, I., see J. Gómez 130 (2003) 395–416
- Peled, U.N., see M.C. Golumbic 124 (2003) 67–71
- Peleg, D., see J.-C. Bermond 127 (2003) 399–414
- Pelillo, M., see I.M. Bomze 121 (2003) 27–49
- Pendavingh, R., P. Schuurman and G.J. Woeginger, Recognizing DNA graphs is difficult 127 (2003) 85–94
- Perennes, S., see J.-C. Bermond 127 (2003) 399–414
- Pérennès, S., see J.-C. Bermond 129 (2003) 31–47
- Perregaard, M., see E. Balas 123 (2003) 129–153

- Peterson, D., Gridline graphs: a review in two dimensions and an extension to higher dimensions 126 (2003) 201–217
- Pevzner, P., see S. Istrail 127 (2003) 1–3
- Pinotti, M.C., see S. Olariu 121 (2003) 215–227
- Pisinger, D., see J. Krarup 123 (2003) 363–378
- Plaisted, D.A., A. Biere and Y. Zhu, A satisfiability procedure for quantified Boolean formulae 130 (2003) 291–328
- Plandowski, W., see J. Karhumäki 125 (2003) 235–254
- Plastria, F., see J. Krarup 123 (2003) 363–378
- Plávka, J., see M. Gavalec 127 (2003) 651–656
- Poon, K.K., see W.C. Shiu 122 (2003) 251–261
- Powers, R.C., Medians and majorities in semimodular posets 127 (2003) 325–336
- Powers, R.C., see F.R. McMorris 127 (2003) 319–324
- Prediger, S., Formal Concept Analysis for general objects 127 (2003) 337–355
- Prékopa, A., see D. Dentcheva 124 (2003) 55–65
- Prestwich, S., SAT problems with chains of dependent variables 130 (2003) 329–350
- Puerto, J., see J.A. Mesa 130 (2003) 437–448
- Punnen, A.P., see R.K. Ahuja 123 (2003) 75–102
- Qi, X., G. Yu and J.F. Bard, Single machine scheduling with assignable due dates 122 (2003) 211–233
- Querido, T.M., see N.M.M. de Abreu 124 (2003) 103–116
- Quint, T., see T.S. Michael 127 (2003) 447–460
- Quintero, A., see R. Ayala 125 (2003) 3–24
- Raber, U., see M. Locatelli 122 (2003) 139–166
- Rada, J. and C. Uzcátegui, Randić structure of a graph 128 (2003) 447–463
- Radics, N. and A. Recski, Applications of combinatorics to statics—rigidity of grids 123 (2003) 473–485
- Ranto, S., see T. Laihonon 121 (2003) 203–213
- Rautenbach, D., see C. Delorme 130 (2003) 503–512
- Rautenbach, D., see M. Fischermann 122 (2003) 127–137
- Rautenbach, D., see M. Fischermann 128 (2003) 375–385
- Ravelomanana, V., see A.-E. Baert 130 (2003) 487–493
- Recski, A., see N. Radics 123 (2003) 473–485
- Rémy, J.-L., see I. Debled-Rennesson 125 (2003) 115–133
- Restivo, A. and P.V. Silva, Periodicity vectors for labelled trees 126 (2003) 219–238
- Ricci, G., Some analytic features of algebraic data 122 (2003) 235–249
- Rietz, J., G. Scheithauer and J. Terno, Families of non-IRUP instances of the one-dimensional cutting stock problem 121 (2003) 229–245
- Rizzi, R., A simple minimum *T*-cut algorithm 129 (2003) 539–544
- Roberts, F.S. and S. Xu, Characterizations of consistent marked graphs 127 (2003) 357–371
- Roberts, F.S., see P.C. Fishburn 130 (2003) 513–519
- Rossi, C., see I.M. Bomze 121 (2003) 27–49
- Rossmann, P., see J. Gramm 130 (2003) 139–155
- Rothblum, U.G., see S. Aviran 124 (2003) 1–15
- Rotics, U., see D. Kobler 126 (2003) 175–199
- Rouyer-Degli, J., see I. Debled-Rennesson 125 (2003) 115–133
- Ruszczyński, A., see D. Dentcheva 124 (2003) 55–65
- Rytter, W., see J. Karhumäki 125 (2003) 235–254
- Sáez, G., Generation of key predistribution schemes using secret sharing schemes 128 (2003) 239–249
- Sakai, S., M. Togasaki and K. Yamazaki, A note on greedy algorithms for the maximum weighted independent set problem 126 (2003) 291–300

- Salavatipour, M.R., On sum coloring of graphs 127 (2003) 477-488
- Sanniti di Baja, G., see G. Borgefors 125 (2003) 1- 2
- Santoro, N., see U.-M. O'Reilly 129 (2003) 195-209
- Sassano, A., see C. Mannino 129 (2003) 155-169
- Sassano, A., see R. Bruni 127 (2003) 523-534
- Satoh, T. and Y. Taguchi, Computing zeta functions for ordinary formal groups over finite fields 130 (2003) 51- 60
- Scancelli, J., see A. Bailey 128 (2003) 555-571
- Schaathun, H.G. and W. Willems, A lower bound on the weight hierarchies of product codes 128 (2003) 251-261
- Schaathun, H.G., see G. Cohnen 128 (2003) 75- 83
- Scheithauer, G., see J. Rietz 121 (2003) 229-245
- Schietke, J., see C. Albrecht 123 (2003) 103-127
- Schuurman, P., see R. Pendavingh 127 (2003) 85- 94
- Schwikowski, B. and M. Vingron, Weighted sequence graphs: boosting iterated dynamic programming using locally suboptimal solutions 127 (2003) 95-117
- Simple, C., Reconstructing minimal rooted trees 127 (2003) 489-503
- Serra, O., see I.J. Dejter 129 (2003) 319-328
- Shahar, S., see E.M. Arkin 122 (2003) 13- 22
- Shamir, A., see C.L. Bajaj 127 (2003) 23- 51
- Shamir, R., see S. Istrail 127 (2003) 1- 3
- Sheng, L., see V.A. Gurvich 124 (2003) 73- 89
- Shimamoto, K. and L. Storme, A Griesmer bound for linear codes over finite quasi-Frobenius rings 128 (2003) 263-274
- Shiu, W.C., P.C.B. Lam and K.K. Poon, On Wiener numbers of polygonal nets 122 (2003) 251-261
- Shiu, W.C., see H. Zhang 130 (2003) 469-485
- Sieling, D., The complexity of minimizing and learning OBDDs and FBDDs 122 (2003) 263-282
- Silva, P.V., see A. Restivo 126 (2003) 219-238
- Silverman, J.H., see J. Hoffstein 130 (2003) 37- 49
- Skersys, G., The average dimension of the hull of cyclic codes 128 (2003) 275-292
- Soljanin, E. and E. Offer, Bit-optimal decoding of codes whose Tanner graphs are trees 128 (2003) 293-303
- Spera, C., see T. Yi 121 (2003) 261-277
- Spieksma, F.C.R., see Y. Crama 123 (2003) 339-361
- Spinrad, J.P., see E.M. Eschen 128 (2003) 355-373
- Spirakis, P., see C. Bouras 129 (2003) 49- 61
- Sriharan, R., see E.M. Eschen 128 (2003) 355-373
- Storme, L., see K. Shimamoto 128 (2003) 263-274
- Stougie, L., see S. Dye 129 (2003) 63- 81
- Suck, R., Parsimonious set representations of orders, a generalization of the interval order concept, and knowledge spaces 127 (2003) 373-386
- Sullivan, P., Cut, paste and filter 128 (2003) 465-485
- Swaminathan, R., see J. Franco 130 (2003) 129-138
- Szeider, S., Finding paths in graphs avoiding forbidden transitions 126 (2003) 239-251
- Szeider, S., Homomorphisms of conjunctive normal forms 130 (2003) 351-365
- Székely, L., see M. Fischermann 122 (2003) 127-137
- Szentesi, Áron, see A. Faragó 129 (2003) 83- 98
- Szviatovszki, B., see A. Faragó 129 (2003) 83- 98
- Tadei, R., A. Grosso and F.D. Croce, Finding the Pareto-optima for the total and maximum tardiness single machine problem 124 (2003) 117-126
- Taguchi, Y., see T. Satoh 130 (2003) 51- 60
- Takaoka, T., Theory of 2-3 Heaps 126 (2003) 93-106
- Tamir, A., see J.A. Mesa 130 (2003) 437-448
- Tapia-Recillas, H. and G. Vega, Some constacyclic codes over Z_{2^k} and binary quasi-cyclic codes 128 (2003) 305-316

- Tarui, Jun, see K. Amano 126 (2003) 3- 8
- Terno, J., see J. Rietz 121 (2003) 229-245
- Teske, E., Computing discrete logarithms with the parallelized kangaroo method 130 (2003) 61- 82
- Thimonier, L., see A.-E. Baert 130 (2003) 487-493
- Tian, F., see Y. Chen 127 (2003) 545-554
- Togasaki, M., see S. Sakai 126 (2003) 291-300
- Tokuyama, T. and H. Imai, Foreword 126 (2003) 1
- Tomasgard, A., see S. Dye 129 (2003) 63- 81
- Toth, P. and D. Vigo, Models, relaxations and exact approaches for the capacitated vehicle routing problem 123 (2003) 487-512
- Triesch, E., see F. Jelen 125 (2003) 225-233
- Tsaban, B., Bernoulli numbers and the probability of a birthday surprise 127 (2003) 657-663
- Tsoukiàs, A. and Ph. Vincke, A characterization of *PQI* interval orders 127 (2003) 387-397
- Uzcátegui, C., see J. Rada 128 (2003) 447-463
- Vainshtein, A., see G. Gutin 129 (2003) 513-520
- van de Klundert, J., see Y. Crama 123 (2003) 339-361
- Van Gelder, A., see J. Franco 125 (2003) 177-214
- van Maaren, H., Preface 130 (2003) 83- 84
- Veelaert, P., Graph-theoretical properties of parallelism in the digital plane 125 (2003) 135-160
- Veeramachaneni, V., P. Berman and W. Miller, Aligning two fragmented sequences 127 (2003) 119-143
- Vega, G., see H. Tapia-Recillas 128 (2003) 305-316
- Vesel, A., see S. Klavar 129 (2003) 449-460
- Vigo, D., see A. Lodi 123 (2003) 379-396
- Vigo, D., see P. Toth 123 (2003) 487-512
- Vince, A., A framework for the greedy algorithm 121 (2003) 247-260
- Vincke, Ph., see A. Tsoukiàs 127 (2003) 387-397
- Vingron, M., see B. Schwikowski 127 (2003) 95-117
- Volkman, L., see M. Fischermann 122 (2003) 127-137
- Volkman, L., see M. Fischermann 128 (2003) 375-385
- Vuillon, L., see I. Fagnot 121 (2003) 83-101
- Vušković, K., see C.M.H. de Figueiredo 121 (2003) 73- 82
- Vygen, J., see C. Albrecht 123 (2003) 103-127
- Wallace, R.J., A family of restricted subadditive recursions 124 (2003) 127-139
- Wei, V.K., see F.-W. Fu 128 (2003) 157-164
- Weismantel, R., see H. Marchand 123 (2003) 397-446
- Weismantel, R., see K. Aardal 123 (2003) 5- 74
- Wenlong, S., see L. Guiging 126 (2003) 145-157
- Wierman, J.C., Pairs of graphs with site and bond percolation critical probabilities in opposite orders 129 (2003) 545-548
- Willems, W., see H.G. Schaathun 128 (2003) 251-261
- Wilson, L., see S. Olariu 121 (2003) 215-227
- Winterhof, A., see T. Lange 128 (2003) 193-206
- Woeginger, G.J., see R. Pendavingh 127 (2003) 85- 94
- Woeginger, G.J., see V.G. Deineko 130 (2003) 495-501
- Wolkowicz, H. and M.F. Anjos, Semidefinite programming for discrete optimization and matrix completion problems 123 (2003) 513-577
- Wolsey, L., see H. Marchand 123 (2003) 397-446
- Wolsey, L.A., see K. Aardal 123 (2003) 5- 74
- Wüthrich, C.A., see C. Lincke 125 (2003) 81- 91

- Xing, C., see C. Ding 128 (2003) 103-120
- Xu, S., see F.S. Roberts 127 (2003) 357-371
- Yamazaki, K., see S. Sakai 126 (2003) 291-300
- Yang, H., Y. Ye and J. Zhang, An approximation algorithm for scheduling two parallel machines with capacity constraints 130 (2003) 449-467
- Yao, J.-Y., Opacity of a finite automaton, method of calculation and the Ising chain 125 (2003) 289-318
- Ye, Y., see H. Yang 130 (2003) 449-467
- Yeh, Y.T. and S.S. Yu, The disjunctivities of ω -languages 127 (2003) 627-641
- Yeo, A., see G. Gutin 121 (2003) 129-138
- Yeo, A., see G. Gutin 129 (2003) 513-520
- Yeo, A., see G. Gutin 129 (2003) 533-538
- Yeo, A., see J. Huang 121 (2003) 181-192
- Yi, T., K.G. Murty and C. Spera, Matchings in colored bipartite networks 121 (2003) 261-277
- Yu, G., see X. Qi 122 (2003) 211-233
- Yu, S.S., see Y.T. Yeh 127 (2003) 627-641
- Zantema, H., see J.F. Groote 130 (2003) 157-171
- Zeh, N., see D. Hutchinson 126 (2003) 33-60
- Zhang, C.-Q., see J. Dong 126 (2003) 269-274
- Zhang, F. and Z. Chen, Ordering graphs with small index and its application 121 (2003) 295-306
- Zhang, F., see X. Guo 129 (2003) 383-397
- Zhang, H., P.C.B. Lam and W.C. Shiu, Cell rotation graphs of strongly connected orientations of plane graphs with an application 130 (2003) 469-485
- Zhang, J., see H. Yang 130 (2003) 449-467
- Zhao, L., H. Nagamochi and T. Ibaraki, A primal-dual approximation algorithm for the survivable network design problem in hypergraphs 126 (2003) 253-267
- Zhao, X., see H. Kleine Büning 130 (2003) 185-207
- Zhi-Xin, H., see R.C. Chi-Feng 121 (2003) 61-72
- Zhu, B., see G. Liu 128 (2003) 421-434
- Zhu, Y., see D.A. Plaisted 130 (2003) 291-328
- Zverovich, I., Extension of hereditary classes with substitutions 128 (2003) 487-509

